

What You Can Do to Protect Yourself

- Drink cool, nonalcoholic beverages. (If your doctor generally limits the amount of fluid you drink or has you on water pills, ask him how much you should drink when the weather is hot. Also, avoid extremely cold liquids because they can cause cramps.)
- Rest.
- Take a cool shower, bath, or sponge bath.
- If possible, seek an air-conditioned environment. (If you don't have air conditioning, consider visiting an air-conditioned shopping mall or public library to cool off.)
- Wear lightweight clothing.
- If possible, remain indoors in the heat of the day.
- Do not engage in strenuous activities.

What You Can Do to Help Protect Elderly Relatives and Neighbors

- Visit older adults at risk at least twice a day and watch them for signs of heat exhaustion or heat stroke.
- Encourage them to increase their fluid intake by drinking cool, nonalcoholic beverages regardless of their activity level.
- Take them to air-conditioned locations if they have transportation problems.

What You Can Do for Someone With Heat Stress

- Get the person to a shady area.
- Cool the person rapidly, using whatever methods you can. For example, immerse the person in a tub of cool water; place the person in a cool shower; spray the person with cool water from a garden hose; sponge the person with cool water; or if the humidity is low, wrap the person in a cool, wet sheet and fan him or her vigorously.
- Monitor body temperature and continue cooling efforts until the body temperature drops to 101°–102°F
- If emergency medical personnel are delayed, call the hospital emergency room for further instructions.
- Do not give the person alcohol to drink.
- Get medical assistance as soon as possible.



A Division of Community Services

3303 W. Illinois, Space 22
Midland, TX 79703
Phone: 432-681-7613
Fax: 432-681-7634
Website: www.midlandtexas.gov
Click: "City Services"
Click: "Health Department"

Preventing Heat Stress



Heat Stress Signs and Symptoms

Elderly people (that is, people aged 65 years and older) are more prone to heat stress than younger people for several reasons:

- Elderly people do not adjust as well as young people to sudden changes in temperature.
- They are more likely to have a chronic medical condition that changes normal body responses to heat.
- They are more likely to take prescription medicines that impair the body's ability to regulate its temperature or that inhibit perspiration.

Heat Stroke

Heat stroke is the most serious heat-related illness. It occurs when the body becomes unable to control its temperature: the body's temperature rises rapidly, the body loses its ability to sweat, and it is unable to cool down. Body temperatures rise to 106°F or higher within 10 to 15 minutes. Heat stroke can cause death or permanent disability if emergency treatment is not provided.

Signs and Symptoms of Heat Stroke

Warning signs vary but may include the following:

- An extremely high body temperature (above 103°F)
- Red, hot, and dry skin (no sweating)
- Rapid, strong pulse
- Throbbing headache
- Dizziness
- Nausea

Heat Exhaustion

Heat exhaustion is a milder form of heat-related illness that can develop after several days of exposure to high temperatures and inadequate or unbalanced replacement of fluids.

Signs and Symptoms of Heat Exhaustion

Warning signs vary but may include the following:

- Heavy sweating
- Paleness
- Muscle Cramps
- Tiredness
- Weakness
- Dizziness
- Headache
- Nausea or vomiting
- Fainting
- Skin: may be cool and moist
- Pulse rate: fast and weak
- Breathing: fast and shallow